			Ah
	Application No.	Applicant(s)	
Notice of Allowability	10/051,721	YEE	
	Examiner	Art Unit	
	Albert K Wong	2635	
The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.	IS (OR REMAINS) CLOSED in 85) or other appropriate commu <b>FRIGHTS</b> . This application is s	this application. If not include inication will be mailed in due	ded e course. <b>THIS</b>
1. $\boxtimes$ This communication is responsive to <u>the eldction filed 7</u>	<u>7/22/2004</u> .		
2. ☑ The allowed claim(s) is/are <u>1-14</u> .			
3. The drawings filed on 17 January 2002 are accepted by	y the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents hete.</li> <li>Certified copies of the priority documents hete.</li> <li>Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ol> </li> <li>Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which</li> <li>CORRECTED DRAWINGS (as "replacement sheets") in Corrections.</li> </ul>	ave been received.  ave been received in Application documents have been received  FE" of this communication to file NMENT of this application.  Abmitted. Note the attached EXA gives reason(s) why the oath or	n No  I in this national stage applic  a reply complying with the re	equirements
(a) ☐ including changes required by the Notice of Draftsp		( PTO-948) attached	
1)  hereto or 2)  to Paper No./Mail Date	<del>-</del>	( · · · · · · )	
(b) ☐ including changes required by the attached Examir Paper No./Mail Date	ner's Amendment / Comment or	in the Office action of	
Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such			ne back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMED</li> </ol>			Note the
<ul> <li>Attachment(s)</li> <li>1.  Notice of References Cited (PTO-892)</li> <li>2.  Notice of Draftperson's Patent Drawing Review (PTO-94)</li> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 1/17/2002</li> <li>4.  Examiner's Comment Regarding Requirement for Depos of Biological Material</li> </ul>	8) 6. ☐ Interview St Paper No./ B/08), 7. ☒ Examiner's	formal Patent Application (PT ummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Al	

Application/Control Number: 10/051,721

Art Unit: 2635

1. This Office action is in response to the election filed July 22, 2004. Claims 1-18 are pending. Claims 15-18 have been withdrawn from consideration as directed toward a non-elected invention. Because the election was made without traverse and all remaining claims have been determined to be patentable, an Examiner's amendment cancels the non-elected invention and places the application in condition for allowance.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Please cancel claims 15-18.

- 3. Claims 1-14 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: The claims recite a power meter and a method of operating a power meter that senses the temperature of the power meter and disconnects the power when the meter exceeds a threshold temperature. Such a combination is not taught or suggested by the prior art of record. The disconnection of power by a meter is generally known. However, such action is not performed in response to a meter exceeding a threshold temperature. Boyden teaches a system for detecting excessive temperature in a junction box and activates an alarm. A junction box, however, does not suggest the use of a system in a power meter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/051,721

Art Unit: 2635

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Albert K Wong whose telephone number is 703-305-8884. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik can be reached on 703-305-4704. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Albert K. Wong August 30, 2004